

# ICD-10-CM

## 2017 CODE CHANGES FOR EYE CARE

EFFECTIVE OCT. 1, 2016

CODE SERIES	CHANGES	NEW/ADDED CHARACTERS	
		SIXTH	SEVENTH
<b>E08.3xxx</b> ( <i>Diabetes mellitus due to underlying condition with ophthalmic complications</i> ) <b>E09.3xxx</b> ( <i>Drug or chemical induced diabetes mellitus with ophthalmic complications</i> ) <b>E10.3xxx</b> ( <i>Type 1 diabetes mellitus with ophthalmic complications</i> ) <b>E11.3xxx</b> ( <i>Type 2 diabetes mellitus with ophthalmic complications</i> ) <b>E13.32xx - E13.35xx</b> ( <i>Other specified diabetes mellitus with ophthalmic complications</i> ) <b>E13.37xx</b> ( <i>Type 2 diabetes mellitus with diabetic macular edema</i> )	Add one extra character to specify whether the right, left, both, or unspecified eyes are affected.		1 – Right eye 2 – Left eye 3 – Bilateral 4 – Unspecified eye
<b>H34.81xx</b> ( <i>Central retinal vein occlusion</i> ) <b>H34.83xx</b> ( <i>Tributary [branch] retinal vein occlusion</i> )	Add one extra character to indicate the RVO severity		0 – Macular edema 1 – Retinal neovascularization 2 – Stable
<b>H35.31xx</b> ( <i>Nonexudative age-related macular degeneration</i> )	Add two characters to specify affected eye (6th character) and stage (7th character)	1 – Right eye 2 – Left eye 3 – Bilateral 9 – Unspecified eye	0 – Stage unspecified 1 – Early dry stage 2 – Intermediate dry stage 3 – Advanced atrophic without subfoveal involvement 4 – Advanced atrophic with subfoveal involvement
<b>H35.32xx</b> ( <i>Exudative age-related macular degeneration</i> )	Add two characters to specify affected eye (6th character) and stage (7th character)	1 – Right eye 2 – Left eye 3 – Bilateral 9 – Unspecified eye	0 – Stage unspecified 1 – With active choroidal neovascularization 2 – With inactive choroidal neovascularization 3 – With inactive scar
<b>H40.11xx</b> ( <i>Primary open-angle glaucoma</i> )	Replace sixth character (an "x" placeholder) with one of four codes representing which eye is affected.	1 – Right eye 2 – Left eye 3 – Bilateral 9 – Unspecified eye	
<b>H53.04x</b> ( <i>Amblyopia suspect</i> )	New code; replace sixth character with one of four codes representing which eye is affected.	1 – Right eye 2 – Left eye 3 – Bilateral 9 – Unspecified eye	
<b>H59.33x</b> ( <i>Postprocedural hematoma of eye and adnexa following an ophthalmic procedure</i> ) <b>H59.34x</b> ( <i>Postprocedural hematoma of eye and adnexa following other procedure</i> )	New code for hematoma separated from revised hemorrhage only codes (H59.311 - H59.329)	1 – Right eye 2 – Left eye 3 – Bilateral 9 – Unspecified eye	
<b>L03.213</b> ( <i>Periorbital cellulitis</i> )	New code		
<b>S02.30xA - S02.32xS</b> ( <i>Fracture of orbital floor</i> )	Replace sixth character (an "x" placeholder) with one of three codes representing affected side.	0 – Unspecified side 1 – Right side 2 – Left side	



EYECARE  
LEADERS

**Protect your payments now and in the future with documentation tips & audit essentials.**

Learn how from the experts at the **AUDIT STRATEGIES TO PROTECT EYE CARE REIMBURSEMENT** webinar from Eye Care Leaders Senior Consultant Cheryl Welch.

Register now online at [www.eyecareleaders.com](http://www.eyecareleaders.com)

(855) 685-3292 • [info@eyecareleaders.com](mailto:info@eyecareleaders.com) • [www.eyecareleaders.com](http://www.eyecareleaders.com)